

Appendix B - Vehicle Licence Conditions – Hackney Carriages and Private Hire

Section	Description
Hackney Carriage Vehicles	
1	Vehicle Type
2	Wheelchair Accessible Vehicle
	Specifications
3	Interior and Exterior Signage
	Requirements
4	<u>Taximeter</u>
5	Byelaws
Private Hire Vehicles	
6	<u>Vehicle Type</u>
7	Interior and Exterior Signage
	Requirements
8	Taximeter (if fitted)
9	Exemption Licence Condition (PH Only)
General Conditions – Applicable to	
both Hackney Carriage & Private	
Hire Vehicles	
10	General
11	Vehicle Conversions or Alterations
12	Maintenance of Vehicle
13	Coachwork
14	Safety Equipment
15	Advertisements
16	Inspection
17	Convictions
18	Change of Address
19	<u>Transfer of Licence</u>
20	Surrender of Licence
21	Deposit of Driver's Licenses

Pursuant to provisions of the Town Police Clauses Act 1847 and the Local Government (Miscellaneous Provisions) Act 1976 (hereinafter referred to as the 1847 Act and 1976 Act), Huntingdonshire District Council has made standard conditions which will apply to all vehicles which are required to be licensed under section 37 of the 1847 Act and section 48 of the 1976 act

The legislation relating to hackney carriages is contained within the 1847 Act and 1976 Act. Further, and in accordance with section 47(1) of the 1976 Act, the Council may attach to the grant of a hackney carriage vehicle licence such conditions as it may consider reasonably necessary.



The legislation relating to private hire vehicles is contained in the 1976 Act and in accordance with section 48 (1) (a) the Council may attach to the grant of a private hire vehicle licence such conditions as it may consider reasonably necessary.

It is a criminal offence to use, or permit to use, a hackney carriage or private hire vehicle within the Huntingdonshire District without obtaining a licence as required by either the 1847 Act or the 1976 Act.



1 Hackney Carriage - Vehicle Type

- **1.1** Hackney Carriages may be licensed to carry up to 8 passengers and are licensed to ply for hire within the district, either from a designated hackney rank or hailed in the street.
- **1.2** The vehicle must be safe, comfortable and suitable in type, size and design for us as a Hackney Carriage.
- 1.3 The Licensing Authority will only licence a vehicle as a Hackney Carriage that complies with European Whole Vehicle (M1) type approval, M1 Low Volume Type Approval, UK National Small Series Type Approval and Individual Vehicle Approval (IVA).
- 1.4 The Licensing Authority will not accept any vehicle that is shown as a category S on the V5c, however we will consider Category N on a case-by-case basis subject to additional paperwork or information detailing the damage sustained and the subsequent repair. This will not affect the licence status of those vehicles licensed before this policy, which will continue to be licensed as long as they continue to meet the vehicle licensing criteria.
- **1.5** Any vehicle, including hybrid or fully electric vehicles, presented to the Licensing Authority for the grant of a new Hackney Carriage vehicle licence must, as a minimum, meet Euro 6 emission standards.
- 1.6 From the 1st of January 2025 all non-wheelchair accessible Hackney Carriage vehicles, upon renewal of the licence, must as a minimum meet Euro 5 emission standards. If your vehicle does not meet the Euro 5 standards your renewal application will be refused. You will be permitted to apply for a new vehicle licence with a Euro 5 compliant vehicle to replace your existing vehicle. The Euro 5 vehicle must be wheelchair accessible.
- 1.7 From the 1st of June 2025 all wheelchair accessible Hackney Carriage vehicles, upon renewal of the licence, must as a minimum meet Euro 5 emission standards. If your vehicle does not meet the Euro 5 standards your renewal application will be refused. You will be permitted to apply for a new vehicle licence with a Euro 5 compliant vehicle to replace your existing vehicle. The Euro 5 vehicle must be wheelchair accessible.
- **1.8** New Hackney Carriage vehicles must be wheelchair accessible and meet the requirements listed in this policy. The Licensing Authority will apply any specification for such vehicles as may be provided by regulations under the Equality Act 2010.



- **1.9** Existing Hackney Carriage vehicles, licensed under plates 1-44, will continue to retain grandfather rights and are not required to be wheelchair accessible. The grandfather rights will cease to have effect if the vehicle licence is not renewed before the expiry date of the existing licence.
- **1.10** Any vehicle currently licenced under retained grandfather rights may continue to be licenced until the vehicle is no longer able to meet the vehicle safety inspection standards. It will also be subject to the emission requirements as set out below.
- **1.11** Once a vehicle licensed under the retained grandfather rights ceases to be licensed, the plate will be removed from the list of grandfather rights vehicles and only re-issued to a wheelchair accessible vehicle.
- **1.12** A licence issued under the grandfather rights cannot be transferred to any other vehicle. This will not remove a proprietor's right to transfer their interest in the vehicle to someone else.

2 Hackney Carriage – Wheelchair Accessible Vehicle Specifications

- 2.1 The vehicle must be capable of safely loading, transporting and unloading a wheelchair bound passenger from the side or rear of the vehicle.
- 2.2 Approved anchorages must be provided for wheelchair tie downs and the wheelchair passenger restraints. These anchorages must be either chassis or floor linked and capable of withstanding approved dynamic or static tests. Restraints for wheelchair and occupant must be independent of each other.
- 2.3 Anchorages must also be provided for the safe stowage of a wheelchair when not in use, whether folded or otherwise, if carried in the passenger compartment. All anchorages and restraints must be so designed that they do not cause any danger to other passengers.
- 2.4 The door and doorway must be so constructed as to permit an unrestricted opening across the doorway of at least 75cm. the minimum angle of a hinged door when opened must be 90 degrees
- 2.5 The clear height of the doorway must be a minimum of 1.27 metres, the width of the doorway must be a minimum of 680mm and internal headroom must be a minimum of 1.32m
- 2.6 Grab handles must be placed at door entrances to assist the elderly and disabled, and must be contrasting in colour.
- 2.7 The top of the tread for any entrance should normally be at floor level of the passenger compartment and comply with the following requirements: -
- 2.8 Be not more than 380mm from the ground, (measured at the centre of the tread width);
- 2.9 The surface shall be covered in a slip-resistant material:



- 2.10 Have a band of colour across the entire width of the edge which shall contrast with the remainder of the tread and floor covering. Should any entrance be more than 380mm from the ground, an external interim step must be made available when the associated passenger door is opened and comply with the following requirements: - Not be more than 380mm in height from the ground, (measured at the centre of the step width; Not be less than 250mm deep; The surface shall be covered in a slip-resistant material; Have a band of colour across its leading edge which shall contrast with the remainder of the step and floor covering; Not be capable of operation whilst the vehicle is in motion; If automatic or powered, be fitted with a safety device which stops the motion of the step if the step is subject to a reactive force not exceeding 150N in any direction and if that motion could cause injury to the passenger; Can fold or retract so that it does not project beyond the side face of the vehicle and the vehicle is not capable of being driven away unless the step is folded or retracted. The vertical distance between the highest part of the floor and the roof in the passenger compartment must not be less than 1.32 metres.
- 2.11 Where seats are placed facing each other, there must be a minimum space of 350mm between any part of the front seat and any part of any other seat that faces it, provided adequate foot room is maintained at floor level.
- 2.12 Where all seats are placed facing to the front of the vehicle, there must be clear space of at least 66cm in front of every part of each seat squab, measured along a horizontal plane at the centre of the cushion.
- 2.13 A ramp for the loading of a wheelchair and occupant must be available at all times for use, as a minimum, at the nearside passenger door on all new vehicles presented for licensing. The ramp must be 70cm wide, as a minimum, and comprise a single non-slip surface. An adequate locking device must be fitted to ensure that the ramp does not slip or tilt when in use. Provision must be made for the ramp to be stowed safely when not in use.
- 2.14 When a vehicle has been modified post manufacture to provide access or special facilities for disabled passengers, the vehicle must have all modifications and adaptations (including all seats seat belts and anchorages), retested or approved to meet either European Whole Type Approval or the UK Low Volume Type Approval (ESVA or IVA) that meets the required standard. Prior to the first licensing of the vehicle, the proprietor and/or driver must produce certification that the vehicle meets the required standards.
- 2.15 Wheelchair passengers must always travel in the correct position as recommended by the vehicle manufacturer.
- 2.16 Wheelchair accessible vehicles must display on the rear of the vehicle the standard sign with the symbol of the figure in a wheelchair indicating that the vehicle is wheelchair accessible



3 Hackney Carriage - Interior and Exterior Signage Requirements

- 3.1 At all times when in use for the purposes of completing bookings, the vehicle must display signage as detailed in the conditions below.
- 3.2 Hackney Carriage vehicles must display, securely affixed on the outside to the rear of the vehicle, the blue licence plate as issued by the Licensing Authority.
- 3.3 An internal licence plate, as issued by the Licensing Authority must be displayed on the front windscreen.
- 3.4 At all times have a fare table issued by Huntingdonshire District Council displayed within the vehicle in a clear and prominent manner.
- 3.5 At least two 'No Smoking' signs are to be displayed within the vehicle and clearly visible to passengers.
- 3.6 The vehicle shall be fitted with a roof sign not exceeding 500mm in length and 120mm in height and bearing the word "TAXI" in black lettering illuminated in yellow and no other lettering to the front.
- 3.7 Any alternative sign may not be displayed except with the written authority of the Licensing Officer and in any event must bear the words mentioned above and no others.
- 3.8 The roof sign to be maintained in good order and displayed at all times on the roof of the vehicle except: When the vehicle is on hire for a wedding, as the wedding car; When it is necessary to accommodate passenger's luggage by the use of a roof rack; When the vehicle is being used for the proprietor or a person authorised by the proprietor for social, domestic or pleasure purposes; Otherwise with the prior approval in writing of the Licensing Officer
- 3.9 The roof sign must be illuminated except when the vehicle is under hire.
- 3.10 In certain circumstances the Council may authorise or require alternative or additional exterior signs subject to such further or substituted conditions as the Council may determine.

4 Hackney Carriage - Taximeter

- 4.1 The vehicle shall be fitted with a taximeter visibly recording the passenger fare payable in conformity with such table of fares as may from time to time be approved by the Council
- 4.2 The position of the taximeter shall be agreed by the Council's Licensing Officer and shall be maintained at all times so that the fare displayed can readily be seen by the passenger; and
- 4.3 The operation of the taximeter shall accord with any Byelaws made by the Council.
- 4.4 The taximeter shall be fitted with a key, flag or other device the operation of which will bring the machinery of the taximeter into action;



- 4.5 Such key, flag, or other device shall be capable of being locked in such a position that the machinery of the taximeter is not in action and that no fare is recorded on the face of the taximeter;
- 4.6 When the machinery of the taximeter is in action, there shall be recorded on the face thereof in figures clearly legible and free from ambiguity the fare not exceeding the rate or fare which the Proprietor or driver is entitled to demand and take for the hire of the carriage by distance;
- 4.7 The taximeter shall be so placed that all the letters and figures on the face thereof shall be at all times visible to any person being conveyed in the vehicle and for that purpose the letters and figures shall be suitably illuminated during any period of hiring;

5 Hackney Carriage – Byelaws

5.1 The vehicle must comply with the relevant provisions of the hackney carriage Byelaws or be taken out of service as a hackney carriage until such time as the vehicle complies with the Byelaws.



Private Hire Vehicles

Private Hire Vehicles – Vehicle Type

- 6.1 Private Hire vehicles may be licensed to carry up to 8 passengers and must only accept bookings from a licensed private hire operator. It is not licensed to ply for hire
- The vehicle must be safe, comfortable and suitable in type, size and design for us as a Private Hire vehicle.
- 6.3 The Licensing Authority will only licence a vehicle as a Private Hire vehicle that complies with European Whole Vehicle (M1) type approval, M1 Low Volume Type Approval, UK National Small Series Type Approval and Individual Vehicle Approval (IVA).
- The Licensing Authority will not accept any vehicle that is shown as a category S on the V5c, however we will consider Category N on a case-by-case basis subject to additional paperwork or information detailing the damage sustained and the subsequent repair. This will not affect the licence status of those vehicles licensed before this policy, which will continue to be licensed as long as they continue to meet the vehicle licensing criteria.
- 6.5 Any vehicle, including hybrid or fully electric vehicles, presented to the Licensing Authority for the grant of a new Private Hire vehicle licence must, as a minimum, meet Euro 6 emission standards.
- From the 1st September 2024, any existing licensed Private Hire vehicle must, as a minimum, meet Euro 5 emission standards. Any vehicle that does not meet this requirement will be refused the licence upon renewal application.
- 6.7 Vehicles must not be of such design and appearance as to lead any person to believe that the vehicle is a hackney carriage.
- All vehicles must be finished in the manufacturers standard colour with a minimum of four doors not including the tailgate (unless specifically adapted to be used as an access or egress point); or a vehicle specially adapted to carry disabled persons and approved by the council.

Private Hire-Interior and Exterior Signage Requirements

- At all times when in use for the purposes of completing bookings, the vehicle must display signage as detailed in the conditions below.
- Private Hire vehicles must display, securely affixed on the outside to the rear of the vehicle, the yellow licence plate as issued by the Licensing Authority.
- An internal licence plate, as issued by the Licensing Authority must be displayed on the front windscreen.



- 7.4 Private Hire Vehicles must have signage on the rear passenger doors of the vehicle as issued by Huntingdonshire District Council.
- 7.5 Private Hire Vehicles must <u>also</u> display signage bearing the name of the private hire operator for whom the booking is being fulfilled. This signage may be in the form of a logo or text and must be displayed on the front doors of the vehicle in a clear and legible way.
- 7.6 No roof sign shall be displayed at any time.
- 7.7 At least two No Smoking signs are to be displayed within the vehicle and clearly visible to passengers.

8 Private Hire – Taximeter (if fitted)

- 8.1 If a private hire vehicle is fitted with a taximeter, it must adhere to all of the conditions as listed in Section 4 of the Appendix.
- 8.2 At all times have a fare table issued by Huntingdonshire District Council displayed within the vehicle in a clear and prominent manner.

9 Exemption Licence Conditions (Private Hire Only)

- 9.1 The following condition applies ONLY if the Council has allowed in writing an Exemption licence to be issued instead of an external rear plate. The Council has determined that under the Private Hire Vehicle license an exemption license will be issued, to be kept in the vehicle at all times, for all uses of the vehicle as a private hire vehicle where the driver is acting as a uniformed chauffeur under a written contract for one or more journeys (Appendix D). If any use of the vehicle as a private hire vehicle is made where there is no written contract or where the driver is not in uniform a plate shall be used at the rear of the vehicle.
- 9.2 If the plate is not correctly displayed or the exemption licence not within the vehicle, or if there is any contravention of this provision, the vehicle shall not be deemed to be licensed.
- 9.3 NB: In Cambridge City, certain Road Traffic Regulation advantages given to licensed vehicles in use as such may not be available unless a plate is used. You will need to observe the relevant requirements if you wish to claim those advantages.]



General Conditions- Applicable to both Hackney Carriage and Private Hire Vehicles

10 General

- 10.1 The vehicle must be fitted with an internal rear-view mirror and on both sides with external rear view mirrors.
- 10.2 All parts of the vehicle, its fittings and equipment both internal and external must be kept in an efficient, safe and clean condition and comply at all times with all relevant statutory requirements.
- 10.3 The licence plate issued by the council shall be affixed to the vehicle behind or adjacent to the vehicle number plate.
- 10.4 The proprietor/driver shall ensure that at all times whilst the vehicle is used on public roads, there is a current vehicle excise licence (Roadtax) in force for the vehicle.
- 10.5 Plain window blinds may be fitted to a vehicle to shield passengers from the sun, blinds with pictures, cartoons or advertising material will not be permitted.
- 10.6 The vehicle must be adequately insured for the licence held at all times during the duration of the licence. Any change of insurance provider during the period of a licence must be notified to the Council within seven days.
- 10.7 Vehicle proprietors are required to keep proof of insurance for a minimum period of six months after the expiry date for production on request by an authorised officer of the council.
- 10.8 Any vehicle licensed by another authority will not be licensed with this authority, known as dual plating.

11 Vehicle Conversions or Alterations

- 11.1 All LPG vehicle conversions must have been carried out by a (Liquefied Petroleum Gas Association) LPGA Approved installer and the vehicle proprietor issued with an LPG Conversion Certificate which must be produced when applying for either a Hackney Carriage or Private Hire Vehicle licence
- 11.2 The vehicle must display on the front and rear screens, a sticker stating that the vehicle has been fitted with an LPG tank for the purpose of alerting the emergency services in the event of an accident
- 11.3 Where by the removal of seats, a vehicle original seating capacity is reduced to the maximum capacity of eight passenger seats, the redundant seat mountings must be rendered unusable. This must be done in such a way as to prevent the easy re-fitment of seats. An updated V5C showing the amended seating capacity must be submitted to the Licensing Authority.



- 11.4 No material alteration or change in the specification, design, condition or appearance of the vehicle shall be made without the approval of the Council at any time whilst the licence is in force.
- 11.5 Aftermarket window tints shall not be fitted to any windows.
- 11.6 Vehicles first used on or after 1 April 1985, the windscreen must allow at least 75% of the light to be transmitted through them whilst the front side windows must allow at least 70% of the light to be transmitted through them.
- 11.7 If the glass is tinted to a point whereby it lets through less light, then the vehicle does not meet legal requirements.

12 Maintenance of Vehicle

- 12.1 Lighting Equipment All front and rear lamps including headlamps, stop lamps, directional indicators, hazard lamps and fog lamps, shall be fully operational. Also lamp lenses shall be clean and free from any chips or cracks which affect the beam pattern, or allow moisture to enter the light casing. Reflectors should be free of corrosion or similar defects
- 12.2 Steering and Suspension The steering shall be fully operational and comply with DVSA inspection regulations. The suspension shall be fully operational, free from any leaks and with no excessive bounce. All components to be in good working order. The fitting of part worn or second hand parts are not permitted.
- 12.3 Brakes All brakes including the foot and handbrakes shall be in good working order and pull evenly in accordance with DVSA inspection regulations. All vehicles must be fitted with a high level brake light,
- 12.4 Tyres and Wheels All vehicles shall carry in accordance with manufacturers' recommendations all necessary equipment for puncture repair. All tyres, including any spare tyre, should be in a roadworthy condition and comply with all relevant statutory requirements. Spare wheels must be fitted in a secure manner at all times
- 12.5 Seatbelts All vehicles shall have fully operational seatbelts in the front and rear to accommodate all passengers. Seatbelts should be in good condition and should not be frayed or torn. All seatbelts shall be mounted to the vehicle body (not to vehicle seats unless specifically designed to do so) and adequately secured.
- 12.6 Horn The vehicles horn shall be fully operational and adequately audible.
- 12.7 Heater and ventilation The vehicle shall be fitted with a fully operational heater, which can be adjusted according to the needs of the passengers. Passengers must be able to operate the windows independently.



12.8 Wipers and Washers – The correct size wiper blades shall be fitted and shall not be torn or frayed. The windscreen washers should operate correctly and fully.

13 Coachwork

- 13.1 The width of the rear part of the body, measured from internal armrest to internal armrest should be a minimum of 1.28m. This measurement to be made with both rear doors closed
- 13.2 The minimum legroom for passengers using the rear seats shall be 22cms, the measurement to be taken from the rear door pillar to the nearest point of the rear seat squab
- 13.3 All doors shall be capable of being opened from both the inside and the outside and to an angle of at least 60 degrees. Two windows capable of being adjusted and secured in any open or partly open position shall be fitted.
- 13.4 All glass fitted shall be safety glass, i.e. glass that if fractured does not fly into fragments capable of causing severe cuts
- 13.5 Glass, either in the window, windscreen or other part of the vehicle shall not be broken or discoloured and shall be free from cracks in accordance with DVSA regulations.
- 13.6 All coachwork shall be maintained in a clean condition and in a proper state of repair
- 13.7 If the vehicle is an estate or hatchback type car it must be fitted with a guardrail or other device of a type approved by the Council to separate the rear loading area from the passengers.

14 Safety Equipment

- 14.1 All licensed vehicles must carry a first aid kit suitable for treating minor injuries that complies with the advice of the Health and Safety Executive as a minimum. There is no requirement for a driver to administer first aid treatment. However, the first aid kit should be made available to passengers or any person(s) where appropriate.
- 14.2 The first aid kit should be marked with the registration or plate number of the vehicle and replenished as necessary to conform with any product expiry date. This will be checked as part of the Compliance check.



15 Advertisements

- 15.1 All adverts must be approved at the discretion of the Council. For vehicles with less than 6 passenger seats, the lettering on the signs and notices shall not exceed 5cm (2 inches) in height). Larger signs for vehicles with 6 to 8 passenger seats may be used, however all proposed signs and notices must be submitted for approval by an appointed officer of the Council.
- 15.2 All adverts must comply with the British Code of Advertising practice; in addition the Council will not normally approve any advertisements which depict the following: Political, ethnic or religious messages or content which is contrary to the Council's Equality Scheme. Sexual content. Indecent material or content likely to offend public taste. The promotion of the sale or consumption of tobacco products. The promotion of the sale or consumption of alcohol. Any words or image that may indicate that a Private Hire Vehicle is a Hackney Carriage. Gambling. Encouragement of unlawful or anti-social behaviour.
- 15.3 Any advertisement must not obscure or detract from the Council's vehicle identification materials required to be fitted to the vehicle by the conditions relating to hackney carriage and private hire vehicles. Advertisements may not be placed on the front offside and nearside doors.

16 Inspection

16.1 The proprietor shall submit the vehicle to the Council or its appointed agents for inspection: Annually when the licence is due for renewal. At 6 monthly intervals for any vehicle over 8 years old from date of first registration. After any repair made necessary by an accident affecting the safety, performance or appearance of the vehicle or the comfort or convenience of passengers and the proprietor shall notify the Licensing Authority of any such accident within 72 hours; and at any other time if so requested by the Licensing Authority or a Police Constable in accordance with legislation.

17 Convictions

17.1 The proprietor shall, within seven days disclose to the Licensing Officer, in writing, details of any conviction, caution, reprimand or warning issued to him or her or, if the proprietor is a company, on any of its directors during the period of the licence.

18 Change of Address

18.1 The licensee driver shall notify the Licensing Officer in writing of any change of his or her address during the period of the licence within seven days of such change taking place.



19 Transfer of Licence

19.1 If a proprietor wishes to transfer ownership of a licensed vehicle, they must complete a transfer application signed by both the current licence holder and proposed new licence holder within 14 days. A proprietor who fails to give such notice, without reasonable excuse, is guilty of an offence.

20 Surrender of Licence

20.1 Except in situations to which Section 49 Local Government (Miscellaneous Provisions) Act 1976 applies (transfer of vehicles with licence), if the proprietor ceases to use the vehicle for the purpose for which it is licensed he or she shall surrender the licence and return the plate, which remains the property of Huntingdonshire District Council, to the Licensing Officer.

21 Deposit of Drivers' Licences

21.1 If the proprietor permits or employs any other person to drive the vehicle as a hackney carriage or private hire vehicle he or she shall, before that person commences to drive the vehicle, cause that person to deliver his or her hackney carriage or private hire driver licence for retention until such time as the driver ceases to be permitted or employed to drive the vehicle, or any other vehicle of his.

Failure to comply with any of these conditions may result in the Council suspending, revoking or refusing to renew the licence and in certain circumstances, in prosecution. There is a right of appeal to the Magistrates Court.